


Teaching Pack The extraction of iron on a match head

Cambridge O Level

Chemistry 5070





In order to help us develop the highest quality resources, we are undertaking a continuous programme of review; not only to measure the success of our resources but also to highlight areas for improvement and to identify new development needs.

We invite you to complete our survey by visiting the website below. Your comments on the quality and relevance of our resources are very important to us.

www.surveymonkey.co.uk/r/GL6ZNJB

Would you like to become a Cambridge International consultant and help us develop support materials?

Please follow the link below to register your interest.

www.cambridgeinternational.org/cambridge-for/teachers/teacherconsultants/


Copyright © UCLES 2017

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

UCLES retains the copyright on all its publications. Registered Centres are permitted to copy material from this booklet for their own internal use. However, we cannot give permission to Centres to photocopy any material that is acknowledged to a third party, even for internal use within a Centre.

Contents

Introduction	. 4
Experiment: The extraction of iron on a match head	. 5
Briefing lesson: Planning the extraction experiment	. 6
Lab lesson: Option 1 – run the experiment	. 8
Teacher notes	10
Teacher method	12
Lab lesson: Option 2 – virtual experiment	14
Debriefing lesson: Identifying redox reactions	16
Worksheets and answers	18



Introduction

This pack will help you to develop your learners' experimental skills as defined by assessment objective 3 (AO3 Experimental skills and investigations) in the course syllabus.

Important note


Our *Teaching Packs* have been written by **classroom teachers** to help you deliver topics and skills that can be challenging. Use these materials to supplement your teaching and engage your learners. You can also use them to help you create lesson plans for other experiments.

This content is designed to give you and your learners the chance to explore practical skills. It is not intended as specific practice for Paper 5 (Practical Test) or Paper 6 (Alternative to the Practical Test).

There are two options for practising experimental skills. If you have laboratory facilities this pack will support you with the logistics of running the experiment. If you have limited access to experimental equipment and/or chemicals, this pack will help you to deliver a virtual experiment.

This is one of a range of *Teaching Packs*. Each pack is based on one experiment with a focus on specific experimental techniques. The packs can be used in any order to suit your teaching sequence.

The structure is as follows:



* the timings are a guide only; you may need to adapt the lessons to suit your circumstances.

In this *Teaching Pack* you will find the lesson plans, worksheets for learners and teacher resource sheets you will need to successfully complete this experiment.

Experiment: The extraction of iron on a match head

This Teaching Pack focuses on a metal extraction.

A number of metals, lower in the reactivity series than carbon, can be extracted by heating with carbon. This is a redox reaction. In this pack, learners will design an experiment to extract iron on a small scale and revise redox reactions.

This experiment has links to the following syllabus content (see syllabus for detail):

- 6.2 Redox
- 9.2 Reactivity series
- 9.3 Extraction of metals

The experiment covers the following experimental skills, adapted from **AO3: Experimental** skills and investigations (see syllabus for assessment objectives):

- demonstrate knowledge of how to safely use techniques, apparatus and materials (including following a sequence of instructions where appropriate)
- plan experiments and investigations
- evaluate methods and suggest possible improvements.

Prior knowledge


Knowledge from the following syllabus topics is useful for this experiment.

- 6.2 Redox
- 9.2 Reactivity series

Going forward

The knowledge and skills gained from this experiment can be used for when you teach learners about the extraction of aluminium by electrolysis.

Briefing lesson: Planning the extraction experiment




Timings	Activity
	Hand out <u>Worksheet B</u> . With appropriate guidance, get learners to work in pairs drawing their designs in the space provided.
	Stress that all of the equipment/materials must be used and that their diagrams must be fully annotated.
	Plenary
10 min	Now they have drawn their equipment, ask learners to write out a safety briefing that explains to others how to use their equipment safely. <i>In particular safety with matches and Bunsen burners should be highlighted.</i>
	Do not forget to remind learners to also include general good practice in the lab, including things like tying back long hair, wearing goggles, not eating or drinking, etc.

Lab lesson: Option 1 – run the experiment



Resource	 Teacher notes Teacher Walkthrough video Worksheets B, C, D and E Equipment as outlined in the notes
Learning	By the end of the lesson:
objectives	 all learners should be able to extract iron from the iron(III) oxide and test the product with a magnet most learners should be able to extract iron from the iron(III) oxide, test the product with a magnet and be able to explain the origin of the carbon needed for the reduction some learners will additionally be able to explain what the function of the carbon is in the reaction.
Timings	Activity
5 min	 Starter/Introduction Ask the learners some general questions about the experiment they planned in the previous lesson. 1. What type of chemical bonding exists in iron(III) oxide? <i>ionic bonding</i> 2. What form does the iron exist in? <i>as positive ions</i> 3. Why can't the iron be physically removed from the iron(III) oxide using a magnet? <i>because the iron ions are attracted strongly to the oxide ions in a lattice</i> 4. What functions does the match have in this experiment? <i>it supplies heat for</i>
	the reaction to occur and also carbon for the reduction reaction
	Main lesson
10 min	Arrange the learners in groups of 2–3. Hand out <u>Worksheet C</u> . Learners compare the annotated diagram of the set-up from the planning activity (on completed <u>Worksheet B</u>) with the diagram of the experiment to be performed now (<u>Worksheet C</u>). Ask the learners what the significant differences are:
	 i. Explain that because the quantities of materials used are so small in this experiment, a mortar and pestle is not used. Instead the match head, after the reaction, is carefully crushed on a watch glass using a spatula. ii. Explain that sodium carbonate does not take part in the reaction but fuses easily and brings the carbon into contact with the iron(III) oxide.
	Safety Circulate the classroom at all times during the experiment so that you can make sure that your learners are safe.
10 min	1. Learners perform the experiment following the instructions on Worksheet C carefully.
	2. Next they are given <u>Worksheet D</u> , where learners write their results and evaluate the experiment. Discuss the answers with the learners using the suggested answers.
15 min	Once learners have completed the experiment ask them to work in pairs and give them Worksheet E. Learners should consider the reactants and products of the reaction and write a word and balanced equation for the reaction.
	Continues on next page




Teacher notes

Watch the Teacher walkthrough video for the extraction of iron on a match and read these notes.

Each group (or pair) will require:

- a non-safety match
- a spatula load of iron(III) oxide on a watch glass
- a spatula load of sodium carbonate on watch glass
- a small beaker of water
- a Bunsen burner
- a pair of crucible tongs
- a heatproof mat
- a flat metal spatula.

Experiment set-up





Safety

The information in the table below is a summary of the key points you should consider before undertaking this experiment with your learners.

It is your responsibility to carry out an appropriate risk assessment for this experiment.

Substance	Hazard	First aid
Sodium carbonate (solid)	GHS07 (moderate hazard MH)	 In the eye: flood the eye with gently-running tap water for 10 min. See a doctor if pain persists. Swallowed: do no more than wash out the mouth with water. Do not induce vomiting. Sips of water may help cool the throat and help keep the airway open. See a doctor. Spilt on the skin or clothing: brush solid off contaminated clothing. Rinse clothing or the skin as necessary. Spilt on the floor, bench, etc.: brush up solid spills, trying to avoid raising dust, then wipe with a damp cloth. Wipe up solution spills with a cloth and rinse it well.
Iron(III) oxide (solid)	GHS07 (moderate hazard MH)	In the eye: flood the eye with gently-running tap water for at least 10 min. See a doctor. Swallowed: do no more than wash out the mouth with water. Do not induce vomiting. Sips of water may help cool the throat and help keep the airway open. See a doctor. Dust breathed in: remove the casualty to fresh air. See a doctor if breathing is difficult. Spilt on the skin or clothing: remove contaminated clothing and rinse it. Wash off the skin with plenty of water. Spilt on the floor, bench, etc.: Scoop up solid (take care not to raise dust). Wipe up small solution spills or any traces of solid with cloth; for larger spills use mineral absorbent (e.g. cat litter).
	Burns	Flood burnt area with water for at least 10 min. For serious injuries see a doctor.

Teacher method

This is your version of the method for this experiment that accompanies the *Teacher walkthrough* video.

Do not share this method with learners. Give them Worksheet C, Worksheet D and Worksheet E.

Before you begin

Plan how you will group your learners during the experiment session.

Think about:

- the number of groups you will need (group size 2–4 learners)
- the amount of equipment/chemicals required

Experiment

Walk around the learners during the experiment in case they encounter any difficulties.

Notes

Steps 1. Check that learners have the chemicals and equipment they need in front ----of them. 2. Check that the learners have <u>Worksheet C</u> and <u>Worksheet D</u>.

- Before they start, warn the learners about safety and good practice for this experiment.
- 4. Place small amounts of each chemical on to separate watch glasses.
- 5. Check that neither of the starting materials are magnetic. Move a magnet underneath the watch glasses.
- 6. Dip the head of the match into water.
- 7. Roll the moistened match head in the sodium carbonate.
- 8. Next roll the match head in the iron(III) oxide.
- 9. Grip the match firmly between metal crucible tongs.

Check that they use the blue flame for the test and return the Bunsen burner back to the safety flame afterwards.

The match could be handed out last, just

before the learners are due to start

the experiment.

Warn learners against moving the magnet above the watch glasses (unless it is covered in cling-film). Warn them that they only have one match which is not to be struck beforehand.

It should be coated completely.

The match head should look completely covered in the red-brown powder after doing this.



- 10. Adjust the Bunsen burner to a blue flame.
- 11. Ignite the match in the flame and allow it to burn half its length.
- 12. Allow the match to cool on a heat proof mat. ---
- 13. The charred part of the match head is now crushed using a spatula on a watch glass.
- 14. A magnet is moved around underneath the watch glass.
- 15. Remind learners not to forget to compare what the starting materials looked like to the resulting crushed match head at the end of --- the experiment.
- 16. Learners record their results on Worksheet D where they also evaluate the experiment.

Do not forget to turn the Bunsen burner off.

Do not apply too much pressure; the head will crush very easily.

The iron which has been produced should follow the path of the magnet. Again, warn learners against moving the magnet above the watch glasses (unless it is covered in cling-film).

Learners should be able to observe that the initial red-brown colour of the iron (III) oxide is now absent.

Question 6 may prove quite challenging and learners could need guidance completing it.

Clean-up

After the experiment learners should:

- clean all glassware
- tidy up their work space
- ensure any spillages have been mopped up
- return all equipment and any unused chemicals to you.

The very small amounts of solids from this experiment can safely be disposed of in the bin.

Lab lesson: Option 2 – virtual experiment




Resource	 Virtual Experiment video for extraction of iron on a match head Worksheets B, D and E
Learning objective	
Timings	Activity
5 min	 Starter/Introduction Ask the learners some general questions about the experiment they planned in the previous lesson. 1. What type of chemical bonding exists in iron(III) oxide? <i>Ionic bonding</i> 2. What form does the iron exist in? <i>As positive ions</i> 3. Why can't the iron be physically removed from the iron(III) oxide using a magnet? <i>Because the iron ions are attracted strongly to the oxide ions in a lattice</i>
	4.What functions does the match have in this experiment? It supplies heat for the reaction to occur and also carbon for the reduction reaction Main lesson
15 min	Show the <i>Virtual Experiment video</i> from start to finish once through without stopping. In pairs, learners discuss the annotated diagram of the set-up from the planning activity (on completed <u>Worksheet B</u>) with the video of the experiment they have just seen.
	The main differences are:
	 that because the quantities of materials used are so small in this experiment, a mortar and pestle is not used. Instead the match head, after reaction, is carefully crushed on a watch glass using a spatula that sodium carbonate does not take part in the reaction but fuses easily and brings the carbon into contact with the iron(III) oxide.
10 min	Give each learner a copy of <u>Worksheet D</u> , allowing them time to look through and understand the questions. They should not write anything at this stage. Show the video again to the learners, stopping the video as necessary. Learners then work in pairs to try to complete the sheet, helping each other when required. Project the answer sheet and go over the answers, allowing learners time to correct any mistakes.
10 min	The learners work in pairs and each are handed a copy of <u>Worksheet E</u> . Ask learners to consider the reactants and products of the reaction and write a word and balanced equation for the reaction.
	Continues on next page

Timings	Activity		
10 •••••	Remind learners of the terms oxidation and reduction (redox reactions). Explain to them that the removal of oxygen from a compound is called <i>reduction</i> . Re-write the reactivity series from the previous lesson and insert the position of carbon in it. Once inserted, ask learners which is the more reactive, iron or carbon. <i>carbon is above iron and their answer should be 'more reactive'</i>		
	Explain to the learners that because carbon is more reactive than iron, it is capable of <i>reducing</i> the iron(III) oxide and removes oxygen from it – it is a <i>reducing agent</i> .		
	Finally point out that the addition of oxygen is <i>oxidation</i> . Learners should therefore be able to identify which substance has been oxidised and which has been reduced.		
	Further definitions of redox will be discussed in the debriefing session.		
10 min	Plenary Show an image of lead(II) oxide (PbO).		
~ 	Ask learners, using the knowledge they have gained, what they would have to do to get lead metal from it.		
	They should mention that a reducing agent (carbon) is needed and that the two materials should be heated together causing lead(II) oxide to be reduced to lead metal.		
	If time allows, learners could try to write the balanced equation for the reaction, and then volunteers write it on the board, for example: oxidation		
	$2PbO(s) + C(s) \rightarrow 2Pb(s) + CO_2(g)$		
	reducing agent		
	reduction		

Debriefing lesson: Identifying redox reactions

Resource	es • Worksheets F and G		
	 A sample (or image of) aluminium ore (bauxite) 		
Learning	By the end of the lesson:		
objective	• all learners should be able to identify at least one flaw in the		
	planning experiment and be able to explain a redox change using		
	one of the main methods.		
	 most learners should be able to identify most of the flaws in the 		
	planning experiment, and be able to explain a redox change using		
	one of the main methods		
	some learners will be able to identify all of the flaws in the		
	planning experiment, write an effective modified plan and be able		
	to explain redox changes using both methods.		
Timings	Activity		
l	Starter/Introduction		
	Ask learners to arrange themselves in pairs and give each pair the following reaction		
10	written on a small slip of paper.		
min			
	$2MgO(s) + C(s) \rightarrow 2Mg(s) + CO_2(g)$		
	Ask them to explain why this reaction will not produce magnesium metal.		
	Learners should make reference to the fact that magnesium is above carbon in the		
	reactivity series and therefore carbon cannot reduce magnesium oxide to magnesium		
	metal.		
	Mention to learners that <i>reduction</i> using carbon is limited to those metal ores that are		
	below it in the reactivity series and that other methods are employed to produce		
	magnesium e.g. electrolysis.		
	Main lesson		
	Review redox reaction ideas with learners using both Oxidation Is Loss, Reduction Is		
15 min	Gain 'OILRIG' and 'OXIDATION STATES' methods.		
	OILRIG		
	By looking at the chemical equation in the starter to this lesson, learners work in pairs		
	to show what is happening to magnesium in terms of electrons. They need to write a		
	half-equation for the reaction:		
	Ma ² t , Oct		
	Mg^{2+} + $2e^ \rightarrow$ Mg (this is a gain of electrons)		
	Ask learners what has been oxidised? Carbon		
	Why can we not write a half-equation for the oxidation? Because carbon dioxide is		
	covalently bonded		
	Continues on next page		



Worksheets and answers

	Worksheets	Answers
For use in the <i>Briefing lesson</i> :		
A: Reactivity series starter	20	32
B: Planning the extraction of iron experiment	21–22	—
For use in <i>Lab lesson: Option 1</i> :		
B: Planning the extraction of iron experiment	21–22	—
C: Experimental set-up and method	23–24	—
D: Results and evaluation	25–26	33
E: Chemical equation for the reaction	27–28	—
For use in <i>Lab lesson: Option 2</i> :		
B: Planning the extraction of iron experiment	21–22	—
D: Results and evaluation	25–26	33
E: Chemical equation for the reaction	27–28	34
For use in the <i>Debriefing lesson</i> :		
F: Planning and using redox	29–30	35–36
G: The extended reactivity series	31	—

Worksheet A: Reactivity series starter



The table below shows the reactivity of several different metals with water/steam, dilute acids and air.


Cut along the horizontal strips and arrange the elements into a reactivity series with the most reactive element at the top.

Element	Reaction with water/steam	Reaction with air	Reaction with dilute acids
w			
calcium	fast evolution of hydrogen gas	shiny calcium metal reacts quickly with air to form the oxide	violent reaction (should not be performed)
iron	reacts very slowly with steam	very slow reaction	reacts slowly
potassium	very vigorous reaction, catches fire and burns with a lilac coloured flame	freshly cut element, tarnishes rapidly	explosive reaction (should not be performed)
magnesium	slow reaction with cold water, but reacts rapidly with steam	freshly polished magnesium slowly becomes dull	rapid evolution of hydrogen gas
copper	no reaction	tarnishes slowly over many years	no reaction
zinc	no reaction with cold water, but reacts with slowly with steam	tarnishes slowly in air	moderately fast reaction
sodium	vigorous reaction	freshly cut sodium oxidises quickly to form the oxide	explosive reaction (should not be performed)

Worksheet B: Planning the extraction of iron experiment




Using all the equipment below, design an experiment for the microscale extraction of iron from iron(III) oxide.




Worksheet B: Planning the extraction of iron experiment





Worksheet C: Experimental set-up and method

Experimental set-up



Method

- 1. Place small amounts of iron(III) oxide and sodium carbonate on to two separate watch glasses.
- **2.** Take a magnet and move it underneath the watch glasses to check that the starting materials are non-magnetic.

Do not move the magnet above the watch glass, since any magnetic material will be attracted to the magnet and it will be very hard to remove.

3. Dip the match head in water and then roll it in the sodium carbonate, followed by the iron(III) oxide.

The sodium carbonate does not take part in the reaction, but it fuses easily and brings the carbon into close contact with the iron(III) oxide.

4. Hold the match in a pair of metal tongs and place the head of the match in a blue Bunsen burner flame.

Be careful not to burn yourself and make sure the heat-proof mat is in place.

5. Allow the match to burn half its length and then blow it out, allowing it to cool on the heatproof mat.

Worksheet C: Experimental set-up and method



6. Carefully crush the match head with a spatula in a watch glass.

Do not apply too much pressure otherwise you might break the watch glass.

7. Take the magnet and move it under the watch glass to check if there is evidence that iron has been produced.

Again, do not move the magnet above the watch glass, since any magnetic material will be attracted to the magnet and it will be very hard to remove.

8. Record your results and evaluate your experiment using Worksheet D.

Worksheet D: Results and evaluation



1.	(a) Was the iron(III) oxide and/or sodium carbonate attracted to the magnet at the beginning of the experiment?			
	(b) What does this suggest about these materials?			
2.	Where does the carbon come from in this reaction?			
3.	What caused the reaction to start?			
4.	What evidence was there for the production of iron in this experiment?			
5.	What other evidence did you observe of a chemical reaction in this experiment?			
6.	(a) Discuss any challenges involved in scaling up this method to produce useful amounts of iron?			

Worksheet D: Results and evaluation



(b) Can you think of a way to produce iron on a larger scale?

You can draw a labelled diagram to support your answer.

Worksheet E: Chemical equation for the reaction



Answer the following questions which will help you construct the equation for the reaction and understand the process of oxidation and reduction.

Reduction is the of oxygen.

Worksheet E: Chemical equation for the reaction



5.	Refer to the balanced equation in question 3 and answer the following questions.
	(a) Which substance has been reduced?
	(b) What new substance formed through reduction?
	(c) Which substance is the reducing agent?
	(d) Which substance has been oxidised?
	(e) What new substance formed through oxidation?

Worksheet F: Planning and using redox



PART A

A learner was provided with pea-sized pieces of haematite (iron(III) oxide) and powdered charcoal. She was given a free-choice of standard laboratory equipment to extract iron from its ore. She wrote the following method and tested it, but unfortunately it did not work.

i. Pieces of haematite (5 g) and powdered charcoal (5 g) were placed together in a glass beaker (100 cm³).

ii. Water (30 cm³) was added and the contents of the beaker were stirred using a glass rod.

iii. The mixture was boiled for 5 min and then allowed to cool.

iv. The contents of the beaker were filtered and washed with distilled water, leaving a dark residue.

v. The residue was dried and tested with a plastic-covered magnet to see if it contained iron.

Re-write the method in the space provided, so that the experiment will successfully produce iron.

Replace/add any standard laboratory equipment as required. Sodium carbonate or any additional chemicals are not needed. You may use as many steps as you wish.

Model answer:

ß

Worksheet F: Planning and using redox

Worksheet G: The extended reactivity series



potassium sodium calcium magnesium aluminium carbon zinc iron tin lead copper silver gold platinum

Worksheet A: Answers



Element	Reaction with water/steam	Reaction with air	Reaction with dilute acids
potassium	very vigorous reaction, catches fire and burns with a lilac coloured flame	freshly cut element, tarnishes rapidly	explosive reaction (should not be performed)
sodium	vigorous reaction	freshly cut sodium oxidises quickly to form the oxide	explosive reaction (should not be performed)
calcium	fast evolution of hydrogen gas	shiny calcium metal reacts quickly with air to form the oxide	violent reaction (should not be performed)
magnesium	slow reaction with cold water, but reacts rapidly with steam	freshly polished magnesium slowly becomes dull	rapid evolution of hydrogen gas
zinc	no reaction with cold water, but reacts with slowly with steam	tarnishes slowly in air	moderately fast reaction
iron	reacts very slowly with steam	very slow reaction	reacts slowly
copper	no reaction	tarnishes slowly over many years	no reaction

Worksheet D: Answers



- 1. (a) No
 - (b) They are non-magnetic materials.
- 2. It is produced from the burning of wood, as the match burns.
- **3.** Striking the match causes the match to ignite (it is a complex reaction in itself). This exothermic reaction generated lots of heat which caused the reaction of carbon with iron(III) oxide to occur.
- **4.** A magnetic material was produced. The iron followed the magnet around meaning it was attracted to it.
- **5.** The red colour of the iron(III) oxide disappeared suggesting it had been used up in the reaction.
- **6. (a)** To produce useful quantities of iron the match would have to be enormous (and this would be dangerous to perform also).

(b) The learners may have lots of different suggestions here.

However, the general idea of intimately mixing carbon powder and iron(III) oxide together and heating strongly in a test-tube or other suitable vessel should gain credit and be discussed.

Worksheet E: Answers

- 1. (a) Iron(III) oxide and carbon
 - (b) iron and carbon dioxide
- 2. Iron(III) oxide + carbon iron + carbon dioxide
- 3. $2Fe_2O_3(s) + 3C(s) \rightarrow 4Fe(s) + 3CO_2(g)$
- 4. Oxidation is the *addition* of oxygen.

Reduction is the *removal* of oxygen.

- 5. (a) iron(III) oxide has been reduced
 - (b) iron metal
 - (c) carbon
 - (d) carbon has been oxidised
 - (e) carbon dioxide

Worksheet F: Answers

Part A

Model answer:

i. Pieces of haematite (5g) were ground into a fine powder using a mortar and pestle.

ii. The powdered haematite and powdered charcoal (5g) were mixed together thoroughly and placed in a metal crucible (or hard glass test-tube).

iii. The mixture was heated strongly using a Bunsen burner for 5 min.

iv. The contents of the crucible/tube, were allowed to cool.

v. A plastic-covered magnet was brought close to the mixture to see if it contained iron.


Part B

1. (a) carbon

- (b) It reduces the iron(III) oxide
- (c) $Fe^{3+}(s) + 3e^{-} \rightarrow Fe(s)$

(d) It is a reduction, because the iron ions have gained electrons to form elemental iron (OILRIG). We can say the iron ions have been reduced.

2. (a)




Carbon has been oxidised because its oxidation state has increased from 0 to 4.

Worksheet F: Answers



(b) This is because carbon dioxide is covalently bonded and therefore contains no ions. As a result, an ionic half-equation cannot be written.

(c)



The iron ions have been reduced because their oxidation state has decreased from +3 to 0.

Cambridge Assessment International Education 1 Hills Road, Cambridge, CB1 2EU, United Kingdom t: +44 1223 553554 f: +44 1223 553558 e: info@cambridgeinternational.org www.cambridgeinternational.org

Copyright © UCLES September 2017