



Cambridge O Level

MATHEMATICS (SYLLABUS A)

4021/02

Paper 2 Calculator

For examination from 2025

MARK SCHEME

Maximum Mark: 80

Practice

This document has **8** pages.

Generic Marking Principles

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptions for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptions for the question
- the specific skills defined in the mark scheme or in the generic level descriptions for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently e.g. in situations where candidates have not followed instructions or in the application of generic level descriptions.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptions in mind.

Mathematics-Specific Marking Principles

- 1 Unless a particular method has been specified in the question, full marks may be awarded for any correct method. However, if a calculation is required then no marks will be awarded for a scale drawing.
- 2 Unless specified in the question, non-integer answers may be given as fractions, decimals or in standard form. Ignore superfluous zeros, provided that the degree of accuracy is not affected.
- 3 Allow alternative conventions for notation if used consistently throughout the paper, e.g. commas being used as decimal points.
- 4 Unless otherwise indicated, marks once gained cannot subsequently be lost, e.g. wrong working following a correct form of answer is ignored (isw).
- 5 Where a candidate has misread a number or sign in the question and used that value consistently throughout, provided that number does not alter the difficulty or the method required, award all marks earned and deduct just 1 A or B mark for the misread.
- 6 Recovery within working is allowed, e.g. a notation error in the working where the following line of working makes the candidate's intent clear.

MARK SCHEME NOTES

The following notes are intended to help with understanding of mark schemes in general, but individual mark schemes may include marks awarded for specific reasons outside the scope of these notes.

Anything in the mark scheme which is in square brackets [...] is not required for the mark to be earned, but if present it must be correct.


When a part of a question has two or more ‘method’ steps, the M marks are in principle independent unless the scheme specifically says otherwise; and similarly where there are several B marks allocated. The notation ‘dep’ is used to indicate that a particular M or B mark is dependent on an earlier mark in the scheme.

Types of mark

- M** Method mark, awarded for a valid method applied to the problem.
- A** Accuracy mark, given for a correct answer or intermediate step correctly obtained. For accuracy marks to be given, the associated Method mark must be earned or implied.
- B** Mark for a correct result or statement independent of Method marks.

Abbreviations

awrt	answers which round to
cao	correct answer only
dep	dependent on the previous mark(s)
FT	follow through after error
isw	ignore subsequent working (after correct answer obtained)
nfw	not from wrong working
oe	or equivalent
SC	special case
soi	seen or implied

Question	Answer	Marks	Partial Marks
1(a)	53 035	1	
1(b)	0.084 cao	1	
1(c)	70 000	1	
2	$\frac{9}{2}$ or 4.5	1	
3(a)	41	1	
3(b)	529	1	
4	50.5[0]	2	B1 for 33 or 17.5 or M1 for $2.2 \times 15 + 0.5 \times 35$
5(a)	2	1	
5(b)		1	
6	Correct shape drawn	1	
7	$\frac{114}{360} \times 840$	1	
8	5.6% $\frac{5}{89}$ $\frac{13}{201}$ 0.065	2	B1 for 3 in correct order or M1 for 0.0647, 0.056 and 0.0562 seen oe
9(a)	12	1	Accept -12
9(b)	17	1	
10(a)	$\frac{1}{4}$ oe	1	
10(b)	$\frac{3}{4}$ oe	1	

Question	Answer	Marks	Partial Marks
11(a)	108	2	B1 for 9 cm or M1 for <i>their</i> 9×12 shown, <i>their</i> 9 between 8 and 10
11(b)	Accurate position of town C with arcs	3	B2 for accurate position of town C without arcs or two arcs, one accurate or B1 for 6 and 8 soi
12(a)	150	3	M2 for $9 \times 14 + 3 \times 8$ oe or M1 for 9×14 or 3×8 oe
12(b)	788.8[0]	2	M1 for $680 \times \left(1 + \frac{16}{100}\right)$ oe or B1 for 108.8[0]
12(c)	1832	4	M1 for $8352 \div 783$ A1 for 10 h 40 min M1 for the correct adjustment of the 2 hours
13	Box A With correct comparisons made of the 3 boxes with suitable accuracy shown	3	M2 for 3 correct comparable values, or for a correct method to compare 3 boxes shown but not evaluated to enough accuracy or M1 for 2 correct comparable values or for a correct method to compare 3 boxes but not evaluated
14	2.5	3	M1 for $12900 - 12000$ M1 dep for $\frac{12000 \times 3 \times n}{100} = \textit{their} 900$ oe or better
15(a)	82	1	
15(b)	96	3	M2 for $7 \times 89 - (82 + 94 + 78 + 103 + 88 + 82)$ or for $7 \times 89 = 527 + x$ or M1 for 7×89 or for $89 = (82 + 94 + 78 + 103 + 88 + 82 + x) \div 7$ or B1 for 527
16(a)(i)	27	1	
16(a)(ii)	-1	1	
16(b)	52	1	

Question	Answer	Marks	Partial Marks
16(c)	$7n + 5$ oe final answer	2	B1 for $7n + a$ or $bn + 5$, $b \neq 0$ as final answer or for $7n + 5$ oe seen then spoilt
17(a)	55	2	M1 for $180 - 70$
17(b)	[a =] 32 [b =] 98 [c =] 82	3	B1 for each
18(a)	$-7, 5, 5, -1, -7$	3	B2 for 3 or 4 correct or B1 for 2 correct
18(b)	Correct curve	4	B3FT for 7 or 8 points correctly plotted or B2FT for 5 or 6 points correctly plotted or B1FT for 3 or 4 points correctly plotted
18(c)	$(0.5, k)$ where $5 < k < 6$	1	
19(a)	24	3	M2 for $\frac{180}{2+13} \times k$ where $k = 1, 2$ or 13 or B1 for $e + i = 180$ soi
19(b)	15	1	FT if <i>their (a)</i> is an integer
20	13.6 or 13.61...	3	M2 for $[y =] \frac{8}{\sin 36}$ or better or $\frac{8}{\cos 54}$ or better oe or M1 for $\sin [36] = \frac{8}{y}$ or better or $\cos 54 = \frac{8}{y}$ or better
21	8	2	M1 for $\frac{5-4.6}{5} [\times 100]$ or $[100 -] \frac{4.6}{5} \times 100$ or $\left(1 - \frac{4.6}{5}\right) [\times 100]$

Question	Answer	Marks	Partial Marks
22	41.1 or 41.09 to 41.11	5	M1 for $\pi \times 6^2$ M2 for $\frac{1}{2} \times 6 \times 6 \times 4$ or M1 for $\frac{1}{2} \times 6 \times 6$ M1 for $\pi \times 6^2 - \frac{1}{2} \times 6 \times 6 \times 4$
23	$x^2 - 9$ final answer	2	B1 for $x^2 - 3x + 3x - 9$ with at least three terms correct
24	$x + x + 8 + 2x - 3 = 117$ or better	M2	or B1 for $x + 8$ or $2x - 3$
	$4x + 5 = 117$ or better	M1	
	28	A1	If 0 scored, SC1 for the correct answer with no algebra